



## SAFETY DATA SHEET

### Carpet Cleaner

#### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME Carpet Cleaner  
PRODUCT NO. 19032  
SUPPLIER Premiere Products  
Oakley Gardens,  
Bouncers Lane,  
Cheltenham, GLOS GL52 5JD  
01242 537103  
01242 537177  
Fax - 01242 528445  
laboratory@premiereproducts.co.uk

#### 2 HAZARDS IDENTIFICATION

Extremely flammable.

CLASSIFICATION F+;R12.

#### 3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
BUTANE	203-448-7	106-97-8	5-10%	F+;R12

The Full Text for all R-Phrases are Displayed in Section 16

#### 4 FIRST-AID MEASURES

##### INHALATION

Remove victim immediately from source of exposure. Move the exposed person to fresh air at once. Get medical attention.

##### INGESTION

Rinse mouth thoroughly with water and give large amounts of milk or water to people not unconscious. DO NOT induce vomiting. Get medical attention immediately.

##### SKIN CONTACT

Rinse with water.

##### EYE CONTACT

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Contact physician if irritation persists.

#### 5 FIRE-FIGHTING MEASURES

##### EXTINGUISHING MEDIA

Carbon dioxide (CO<sub>2</sub>).

##### SPECIAL FIRE FIGHTING PROCEDURES

Use supplied air respirator if product is involved in a fire. Use special protective clothing. Regular protection may not be safe. Be aware of danger of explosion.

##### UNUSUAL FIRE & EXPLOSION HAZARDS

Aerosol cans may explode in a fire. May explode when heated or when exposed to flames or sparks.

##### PROTECTIVE MEASURES IN FIRE

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

#### 6 ACCIDENTAL RELEASE MEASURES

##### PERSONAL PRECAUTIONS

Use protective gloves, goggles and suitable protective clothing.

## Carpet Cleaner

### ENVIRONMENTAL PRECAUTIONS

Do not discharge into drains, water courses or onto the ground. Contain spillages with sand, earth or any suitable adsorbent material.

### SPILL CLEAN UP METHODS

Absorb in vermiculite, dry sand or earth and place into containers.

## 7 HANDLING AND STORAGE

### USAGE PRECAUTIONS

Read and follow manufacturer's recommendations.

### STORAGE PRECAUTIONS

Keep away from heat, sparks and open flame. Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C. Store in tightly closed original container in a dry and cool place.

### STORAGE CLASS

Chemical storage.

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	TWA - 8 hrs		STEL - 15 min		Notes
BUTANE	WEL	600 ppm	1450 mg/m <sup>3</sup>	750 ppm	1810 mg/m <sup>3</sup>	

WEL = Workplace Exposure Limit.

### RESPIRATORY EQUIPMENT

No specific recommendation made, but respiratory protection must be used if the general level exceeds the Recommended Workplace Exposure Limit.

### HAND PROTECTION

Chemical resistant gloves required for prolonged or repeated contact.

### EYE PROTECTION

Wear approved chemical safety goggles where eye exposure is reasonably probable.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Foam.				
COLOUR	White				
ODOUR	Odourless Odourless				
SOLUBILITY	Soluble in water				
RELATIVE DENSITY	0.91 @20	pH-VALUE, CONC. SOLUTION		9.0	

## 10 STABILITY AND REACTIVITY

### STABILITY

Stable under normal temperature conditions and recommended use.

### CONDITIONS TO AVOID

Avoid heat, flames and other sources of ignition. Avoid exposure to high temperatures or direct sunlight.

## 11 TOXICOLOGICAL INFORMATION

### INHALATION

No specific health warnings noted.

### INGESTION

May cause stomach pain or vomiting.

### SKIN CONTACT

May cause defatting of the skin, but is not an irritant.

### EYE CONTACT

May cause severe irritation to eyes.

## 12 ECOLOGICAL INFORMATION

## Carpet Cleaner

### ECOTOXICITY

Not regarded as dangerous for the environment.

### DEGRADABILITY

The product is biodegradable.

## 13 DISPOSAL CONSIDERATIONS

### GENERAL INFORMATION

Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority.

### DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

## 14 TRANSPORT INFORMATION

UN NO. ROAD	1950	IMDG CLASS	2
IMDG PACK GR.	II	AIR CLASS	2

## 15 REGULATORY INFORMATION

### LABELLING



Extremely Flammable

### RISK PHRASES

R12 Extremely flammable.

### SAFETY PHRASES

S1/2 Keep locked up and out of the reach of children.  
S9 Keep container in a well-ventilated place.  
S16 Keep away from sources of ignition - No smoking.  
S51 Use only in well-ventilated areas.  
S60 This material and its container must be disposed of as hazardous waste.

## 16 OTHER INFORMATION

REVISION DATE 09/03/2010

REV. NO./REPL. SDS GENERATED 2

SDS NO. 6

DATE 11/09

### RISK PHRASES IN FULL

R12 Extremely flammable.